





the Royal Society by the Right Honourable Sir Rob Southwell, V.P R.S. VII. An Account of a very large Eel, lately caught at Maldon in Essex; with some Considerations about the Generation of Eels, by Mr. Dale. IX. Account of a Book. The History of Poland in several Letters to Persons of Quality, giving an count of the Ancient and Present State of that Kingdom, Historical, Geographical, Physical, Political and Ecclesiastical, Soc. With several Letters relating to Physick. Vol I. To which is added a new Map of Poland. By Bern. Connor, M.D. F.R.S. and Member of the Colledge of Physicians, &c.

1. Historia; & explicatio figurarum, Embryon quatuor Septimanarum, & placentam cotiledoniformen exhibentium, Autore Philippo Jacobo Hartmanno, Phil. & Med. D. &c.

Atrona quadraginta circiter annorum, tertium hunc abortum saciebat, anno 1685. Septemb. 27. ante quatuor Septimanas ipsi menses adhuc sluxerant, tertio autem qui abortum præcessit die linteis sævigandis operam navans, & cylindris ducendis manum admovet, exin die dicto sanguis grumosus magna cop a erumpere, quum alias Uteri hæmorrhagiæ esset obnoxia; successit tandem placenta cum chorio, amnio & sætu sorma ovi integri; quod ovum citra ullam aliorum contractationem ac palpationem domum auserre licuit, ubi otiosus omnia rimatus sum.

## Figura I.

Placentæ structuræ exterioris, qua Vtero adhæsit, partem Colyledoniformem exhibens.

a a a &c. Magnitudo placentæ, quæ totius Uteri ca-

vitatem implevit.

bbb &c. Pars cotyledonisormis meris glandulis globosis obsita; glandulæ in medio rubicunda puncta ostendunt vasorum ruptorum ora hiantia: circa puncta sunt soveolæ quasi impressæ, quas & sceleton monstrat: Huic parti colytedonisormi intus oppositæ erant vesiculæ rubicundo & slavo liquore distentæ, quas sigura III. exprimit.

c c c Loca in quibus sanguinei ductus insigniter erant

conspicui.

# Figura II.

#### Placentæ Structuræ exterioris, quâ Utero adhæsit, partem alteram exhibens.

A. Locus ex quo vasa longiora avulsa dependebant; ubi Placenta Utero firmius annexa aut agglutinata suit.

B. B. Laciniæ Placentæ gracilescensis.

C. Foramen per quod Chorion & amnion prominebant.

D.D. Sc. Placentæ globus quem omnes figuræ reprefentant, ut totius Uteri cavitatem à Placenta succinctam fuisse, sœtumque in eadem tanquam in altero Utero sive Utriculo contineri constet.

## Figura III.

## Placentæ Structuræ interioris pars prior cum Embryo.

x. Vesicula insignior sanguine rubicundo turgida.

2. Vesicula alia slavo liquore repleta.

- 3. Vesicula maxima ibidem slavo liquore distenta.
- 4. 4. 4. 4. Vesiculæ circum sitæ minores, varia proportione, varioque liquore, rubicundo, slavo, simpido, plenæ.

5. Umbilicatis funiculus cum vasis.

6. Embryon; figuræ, magnitudinis, manuum & pedum

dum situs, penis, podicis caudati, soraminis ani quasi à meconii nigrore punctati, helices auriculæ, rectus oris, accurata omnium delineatione.

7. Locus in quo funiculi tunica vesicularum latebris se

infinuabat.

8.8.8. Sc. Spatium vesiculis vacuum, chorio & amnio Placentæ crepidinibus annexis.

Figura IV.

Placentæ Structuræ interioris pars altera sine Embryo.

1.1. 1. Vesicutæ varià magnitudine, varioque in eis liquorum colore.

z. Vasa sanguinea hinc inde commeantia.

3. 3. 3. &c. Spatium Vesiculis vacuum, Placentæ expansionem cum annexa Chorii tunica ostendens.

4.4.4. Lacinia Chorii cum Placentæ divulsæ parte

graciliori.

5. Foramen à Placentæ & Chorii ruptura.

Figura V.

Embryon exhibens.

A. Embryi Corporis habitudo.

1. Linea alba frontem dividens.

- 2. 3. Duæ aliæ lineæ albæ ad futuram coronalem tendentes.
  - 4. Duo puncta quæ narium foramina defignant.

5. Helix auriculæ albicante lineà discreta.

6. Penis.

7. Pedum digiti inequaliter desinentes, cum exiguis lineis sissurarum indicibus; eadem ratio manuum.

8. Caudæ eminentia cum punctato ani foramine.

9. Oris rictus,

10. Medulla spinalis albicans utrinque à se versus latera exiles lineas albas, æqualiter curtas, dimittens.

11. Umbilicalis funiculus per cujus tunicam exilia vasa

transparent.

II. Of

